



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Type: **Backshell**

Primary Product Material: **PA**

Operating Temperature Range: **-40 – 125 °C [ -40 – 257 °F ]**

### Features

#### Product Type Features

Connector Backshell Product Type	Backshell
----------------------------------	-----------

#### Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Primary Product Material	PA

#### Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts




TE Part # 2-2366509-1  
48POS, HYBRID, PIN HSG ASSY, SLD, COD A



TE Part # 2-2366509-2  
48POS, HYBRID, PIN HSG ASSY, SLD, COD B



TE Part # 2-2366509-3  
48POS, HYBRID, PIN HSG ASSY, SLD, COD C



TE Part # 2-2366509-4  
48POS, HYBRID, PIN HSG ASSY, SLD, COD D



TE Part # 2366494-1  
48POS, HYBRID, SOC HSG ASSY, SLD, COD A



TE Part # 2366494-2  
48POS, HYBRID, SOC HSG ASSY, SLD, COD B



TE Part # 2366494-3  
48POS, HYBRID, SOC HSG ASSY, SLD, COD C



TE Part # 2366494-4  
48POS, HYBRID, SOC HSG ASSY, SLD, COD D



TE Part # 2366509-1  
48POS, HYBRID, PIN HSG ASSY, SLD, COD A



TE Part # 2366509-2  
48POS, HYBRID, PIN HSG ASSY, SLD, COD B



TE Part # 2366509-3  
48POS, HYBRID, PIN HSG ASSY, SLD, COD C



TE Part # 2366509-4  
48POS, HYBRID, PIN HSG ASSY, SLD, COD D

## Also in the Series | DEUTSCH NTSEAL



Automotive Housings(49)



Connector Backshells(7)



Connector Seals & Cavity Plugs(9)



Other Automotive Connector Accessories(1)


## Customers Also Bought




TE Part #2366517-2  
FIX RING,CONN KIT



TE Part #2-2366509-1  
48POS,HYBRID,PIN HSG ASSY,SLD,  
COD A



TE Part #2-2366509-3  
48POS,HYBRID,PIN HSG ASSY,SLD,  
COD C



TE Part #2-2366509-4  
48POS,HYBRID,PIN HSG ASSY,SLD,  
COD D



TE Part #2366494-1  
48POS,HYBRID,SOC HSG ASSY,SLD,  
COD A



TE Part #2366494-3  
48POS,HYBRID,SOC HSG ASSY,SLD,  
COD C



TE Part #2366494-4  
48POS,HYBRID,SOC HSG ASSY,SLD,  
COD D



TE Part #2366509-2  
48POS,HYBRID,PIN HSG ASSY,SLD,  
COD B



TE Part #2373921-3  
CVTY PLUG,PIN DIA 2.5,CVTY DIA,2.5,  
BLU



TE Part #2373921-4  
CVTY PLUG,PIN DIA 1.6,CVTY DIA,2.0,  
GRN

## Documents

[Product Drawings](#)  
[BACKSHELL,CONN KIT](#)

English

[CAD Files](#)

[3D PDF](#)

[3D](#)



**Customer View Model**

[ENG\\_CVM\\_CVM\\_2378521-1\\_A.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2378521-1\\_A.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2378521-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Product Specifications**

[Application Specification](#)

English